



Kahnawà:ke Ratitsénhaiens

Mohawk Council of Kahnawà:ke

P.O. Box 720 Kahnawà:ke Mohawk Territory JOL 1B0

Phone: (450) 632-7500 Fax: (450) 638-5958

Web Site: www.kahnawake.com E-mail: communications@mck.ca

Enhsakotò:kénhte Nitiotié:ren Tsi Ietsenhaientákhwa

PUBLIC SERVICE ANNOUNCEMENT

Caution: unsafe water near Onake

(Kahnawake – 29, Ohiarikhó:wa/July 2015) The Community Protection Unit (CPU) and Environmental Health Services (EHS) are advising community members to NOT utilize the water surrounding the Onake Paddling Club due to unsafe bacteria levels.

The area of concern is between the bridge and approximately 30 yards west of Onake. Routine water tests resulted in high levels of a bacteria known as coliform, which derives from fecal matter from animals. Exposure to high levels of this bacteria is unsafe.

Community members are advised NOT TO go in the water until further notice.

If you have any questions or for more information please call the CPU at (450) 632-0635 or EHS at (450) 635-9945.

SUGGESTED INSTRUCTIONS FOR MEDIA

Please mention at your discretion until further notice.

For information on this release contact Justus Polson-Lahache at 450-632-7500 ext. 2267