



PUBLIC SAFETY DIVISION ANNOUNCEMENT

Suggested Media Instructions:

Please run at your discretion.

Media Inquiries:

MCKmedia@mck.ca

Mohawk Council of Kahnawà:ke

Kahnawà:ke Mohawk
Territory
P.O. Box 720
J0L 1B0

Tel: (450) 632-7500

Fax: (450) 638-5958

*As per the MCK
Communications Protocol,
all media requests must be
arranged through the Public
Relations / Communications
Unit*

High concentrations of E.coli detected in Tioweroton

For immediate release

(Kahnawake – 31, Ohiarikhó:wa/July 2024)

The Public Safety Division, in conjunction with the Lands Unit of the Mohawk Council of Kahnawà:ke, wishes to inform the community of recent water sampling results in Tioweró:ton. Water testing by Environmental Health Services of Kahnawake Shakotíia'takehnhas Community Services detected a high level of E.coli at the first bridge, Eugene Jacobs Bridge, second Bridge creeks, and the Falls.

As a precaution, Kahnawa'kehró:non are advised not to swim in those areas.

The weather forecast projects rain this coming week, which should reduce E.coli values. The next test will be on Monday, August 12, 2024, weather permitting; updates will be provided to the community as they become available.

For any questions or concerns, please call the Public Safety Division at 450-632-0635 or Environmental Health Services at 450-635-9945. For more information on the recreational guidelines, please [click here](#).

-30-