

Mohawk Council of Kahnawà:ke P.O. Box 720 Kahnawà:ke Mohawk Territory JOL 1B0 Phone: (450) 632-7500 Fax: (450) 638-5958 Web Site: <u>www.Kahnawake.com</u> E-mail: <u>communications@mck.ca</u> Enhsakotò:kénhte Nitiotié:ren Tsi Ietsenhaientáhkhwa

Tsi Nahóten Karihwanákere No'nenk News Release

## Notice to Kahnawà:ke regarding Hydro-Québec next generation meters

For immediate release

(Kahnawake – 25, Kentenhkó:wa/November 2014) The Mohawk Council of Kahnawà:ke (MCK) wishes to remind Kahnawa'kehró:non that Hydro-Québec is in the process of changing their power consumption measurement devices to more precise digital technology. The process involves installing new next generation 'smart meters' to all its customers throughout the province, Kahnawà:ke included. As the installation occurs on private properties, this issue is between Hydro-Québec and each home owner.

The MCK reminds the community that this is <u>not</u> an MCK initiative. This information is being made available because several Kahnawa'kehró:non have contacted the MCK for clarification. Anyone with questions should contact Hydro-Québec directly.

Hydro-Québec did make a presentation on the new technology to Chief & Council several weeks ago; at that time they were instructed to consult the Community on the upcoming changes, inform home owners on the installation and to make themselves available to answer questions. The MCK was informed by Hydro-Québec that the new meters are approved by the Québec Energy Board and are compliant with safety guidelines issued by Health Canada.

The MCK was also informed that Customers have been given the option to 'opt out' of having the new meters be read automatically via a small transmitter located within the device. Should the customer opt out, they would receive a next generation 'smart meter' that has to be read manually. There is an installation cost and monthly fee for this option.

-30-

For further information, please contact: Joe Delaronde, Political Press Attaché Mohawk Council of Kahnawà:ke 450-632-7500, joe.delaronde@mck.ca

EDO-COMM-0001